



Fuel and Lubricant  
Antioxidants

# A comprehensive range of products that enhance the performance and prolong the life of engines and machinery

With more than 50 years' experience in stabilization, SONGWON offers an extensive portfolio of fuel and lubricant additives for automotive, industrial applications and biofuels including aminic, phenolic, phosphite and thioester antioxidants. Close cooperation with customers allows the development of solutions for today and tomorrow, and the range is constantly being expanded to meet market needs.

By improving the performance of lubricants and fuels to ensure that they last longer and help to protect engines and equipment, SONGWON antioxidants also make an important contribution to environmental sustainability.

SONGWON manufactures fuel and lubricant antioxidants at its plant in South Korea, in which it invests continuously in anticipation of new industry requirements. Backward integration of key raw materials and economies of scale help to guarantee availability and reliable supply.



# EXTENDED LIFE

Enhance Efficiency

# Product range selection guide

type of Antioxidants		Automotive					Industrial				Speciality & fuels				
		Gasoline engine oils	Diesel engine oils	ATF	ETF	Gear & axel oils	Compressor oils	Hydraulic oils	Metalworking fluids	Turbine oils	Greases	Marine Lubricants	Vegetable Base Oils	Fuels	Heavy Petroleum distillates
Aminic	<b>SONGNOX® L570</b>	■	■	■	■	■	■	■	■	■	■	□	□		
	<b>SONGNOX® L575</b>	■	■	■	■	■	■	■	■	■	■	□	□		
	<b>SONGNOX® L670</b>	■	■	■	■	■	■	■	■	■	■	□	□		
Phenolic	<b>SONGNOX® L101</b>					□			□		□		□		
	<b>SONGNOX® L102</b>										□				■
	<b>SONGNOX® L107</b>	□	□					□		□	□		□		
	<b>SONGNOX® L115</b>	□	□								■		□		
	<b>SONGNOX® L126</b>			□	□	□	□	□	■	■	□	□	■	□	
	<b>SONGNOX® L135</b>	■	■	□	□	□	□	■	□	□	□	□	□		
Thioester	<b>SONGNOX® L224</b>	□	□	□	□	□	□	□	□	□					
	<b>SONGNOX® L226</b>	□	□	□	□	□	□	□	□	□					
Phosphite	<b>SONGNOX® L416</b>			□	□	□	□	□	□	□					

**ATF:** automatic transmission fluid; **ETF:** electrified transmission fluid. ■ Recommended. □ Suitable.

type of Antioxidants		TGA in air		Solubility* (wt.%) at 20°C					
		% mass loss	°C	Group I	Group II	Group III	Group IV (PAO)	Ester	Water
Aminic	<b>SONGNOX® L570</b>	5% 25% 50%	233 282 308	> 10.0	> 10.0	> 10.0	> 10.0	> 10.0	< 0.01
	<b>SONGNOX® L575</b>	5% 25% 50%	235 290 318	> 10.0	> 10.0	> 10.0	> 10.0	> 10.0	< 0.01
	<b>SONGNOX® L670</b>	5% 25% 50%	250 299 329	> 10.0	> 10.0	> 10.0	> 10.0	> 10.0	< 0.01
Phenolic	<b>SONGNOX® L101</b>	5% 25% 50%	328 365 392	< 0.3	< 0.2	< 0.2	< 0.1	> 2.0	< 0.01
	<b>SONGNOX® L102</b>	5% 25% 50%	301 331 350	< 0.05	< 0.05	< 0.05	< 0.05	< 0.3	< 0.01
	<b>SONGNOX® L107</b>	5% 25% 50%	297 332 349	> 5.0	> 2.0	> 2.0	> 2.0	> 5.0	< 0.01
	<b>SONGNOX® L115</b>	5% 25% 50%	307 341 356	< 1.0	< 1.0	< 1.0	< 1.0	> 5.0	< 0.01
	<b>SONGNOX® L126</b>	5% 25% 50%	95 144 167	> 5.0	> 5.0	> 5.0	> 5.0	> 10.0	< 0.01
	<b>SONGNOX® L135</b>	5% 25% 50%	244 291 315	> 10.0	> 10.0	> 10.0	> 10.0	> 10.0	< 0.01
Thioester	<b>SONGNOX® L224</b>	5% 25% 50%	262 292 311	> 2.0	> 2.0	> 2.0	> 2.0	> 5.0	< 0.01
	<b>SONGNOX® L226</b>	5% 25% 50%	282 327 348	> 5.0	> 5.0	> 5.0	> 5.0	> 5.0	< 0.01
Phosphite	<b>SONGNOX® L416</b>	5% 25% 50%	234 269 291	> 1.0	< 0.8	< 0.8	< 0.8	> 1.0	< 0.01

\* Test oils are of ISO 32 viscosity grade or similar

# Aminic, Phenolic, Phosphite and Thioester Antioxidants

		Molecular Weight	Melting Range (°C)
<b>SONGNOX® L570</b> Mixture of butylated & octylated diphenylamine CAS No: 68411-46-1 LQ		butyl, octyl diphenylamine antioxidant	–
<b>SONGNOX® L575</b> Mixture of butylated & octylated diphenylamine, DPA < 0.1% CAS NO. 68411-46-1 LQ		Butyl, octyl diphenylamine antioxidant	–
<b>SONGNOX® L670</b> Bis(nonylphenyl)amine CAS No: 36878-20-3 LQ		nonyl diphenylamine antioxidant	–
<b>SONGNOX® L101</b> Tetrakis[methylene-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]methane CAS No: 6683-19-8 PW		1178	110.0 ~ 125.0
<b>SONGNOX® L102</b> 1,2-bis(3,5-di-tert-butyl-4-hydroxyhydrocinnamoyl)hydrazine CAS NO. 32687-78-8 PW, FF		553	221.0 ~ 232.0
<b>SONGNOX® L107</b> Octadecyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate CAS No: 2082-79-3 CP, SB		531	50.0 ~ 55.0
<b>SONGNOX® L115</b> Thiodiethylenebis[3-(3,5-ditert-butyl-4-hydroxyphenyl)propionate] CAS No: 41484-35-9 PW, FF		643	> 65.0
<b>SONGNOX® L126</b> 2,6-di-tert-butylphenol CAS No: 128-39-2 SL		206	> 34.0
<b>SONGNOX® L135</b> Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters CAS No: 125643-61-0 LQ		390	–
<b>SONGNOX® L224</b> Dilauryl thiodipropionate CAS No: 123-28-4 PW, SB, LQ		515	38.0 ~ 41.0
<b>SONGNOX® L226</b> Ditridecyl thiodipropionate CAS No: 10595-72-9 LQ		543	–
<b>SONGNOX® L416</b> Tris(2,4-di-tert-butylphenyl) phosphite CAS No: 31570-04-4 PW, FF		647	181.0 ~ 187.0

Viscosity at 40°C Kinematic (mm <sup>2</sup> /s)	Density at 20°C (g/cm <sup>3</sup> )	Element Content (%)			NSF / FDA <sup>1</sup>	LuSc List <sup>2</sup>	EU REACH	Kosher	Halal
		S	P	N					
400	0.98	–	–	4.5	0.5 wt.%	–	Yes	Yes	Yes
400	0.98	–	–	4.5	–	–	Yes	–	–
600	0.95	–	–	3.6	2.0 wt.% (NSF only)	Yes	Yes	Yes	Yes
Solid	Solid	–	–	–	0.5 wt.%	–	Yes	Yes	Yes
Solid	Solid	–	–	5.1	–	–	Yes	–	–
Solid	Solid	–	–	–	–	Yes	Yes	Yes	Yes
Solid	Solid	5.0	–	–	0.5 wt.%	Yes	Yes	Yes	Yes
Solid	Solid	–	–	–	–	–	Yes	–	–
125	0.97	–	–	–	–	Yes	Yes	Yes	Yes
Solid	Solid	6.2	–	–	–	–	Yes	–	–
27	0.94	5.9	–	–	–	–	Yes	–	–
Solid	Solid	–	4.8	–	0.5 wt.%	–	Yes	Yes	Yes

# Specifications overview

## Standard Packaging

- **Antioxidants, Solids:** 20 kg PE Bag
- **Antioxidants, Liquids:** 185 kg Steel Drum  
190 kg Steel Drum  
900 kg IBC  
20 MT ISO Tank

Standard pallet size is CP1 and CP3.

## Key to Abbreviations of Physical Forms

- **PW:** Powder
- **SB:** Semi Bead
- **SL:** Solid
- **FF:** Free Flow
- **DW:** Dispersion
- **MB:** Micro Beads
- **FC:** Fusion Crystal
- **LQ:** Liquid or Molten
- **BD:** Beads
- **DF:** Dust Free Flow
- **CP:** Crystalline Powder
- **PS:** Pastilles
- **GR:** Granule
- **FG:** Fine Grind
- **VL:** Viscous Liquid

## Transport and Storage

As a general guideline, we recommend storing the products mentioned in this brochure in their original sealed containers in a cold and dry place. For more detailed information on a specific product, please refer to the corresponding **Technical Data Sheet**.

By law, a number of chemical products must be labeled in respect of transport, storage and handling. Thus corresponding care is a prerequisite for their appropriate handling. Furthermore, local legal regulations may apply.



Detailed information is given in the respective **Safety Data Sheets**.

## About SONGWON

A leader in the development, production and supply of specialty chemicals, SONGWON's products touch your life every day, everywhere. Since 1965, we've been driving innovation, partnering for progress and paving the way for a better more sustainable tomorrow with 360° customized solutions.

Headquartered in South Korea, SONGWON is one of the largest manufacturer of polymer stabilizers worldwide. With Group companies and world-class manufacturing facilities across the globe, we are dedicated to providing customers in over 60 countries with high-performance products that meet their individual needs and the best levels of service.

For further information, please go to:  
**[www.songwon.com](http://www.songwon.com)**

# SONGWON INDUSTRIAL GROUP



For further information, please contact:

[lubricantadditives@songwon.com](mailto:lubricantadditives@songwon.com)

SONGWON provides customers with warranties and representations as to the chemical or technical specifications, compositions and/or the suitability for use for any particular purpose exclusively in individual written agreements.

The facts and figures contained herein have been carefully compiled to the best of SONGWON's knowledge but are essentially intended for informational purposes only.

SONGWON Industrial Group does not accept any liability whatsoever for any information, reference or advice provided in this document or any similar Songwon publication.

Version 8, October 2025 (Fuel and Lubricant Additives)



It's all about **the chemistry**®

[www.songwon.com](http://www.songwon.com)